

Zoning Case 2023-015

An Ordinance of the City of Plano, Texas, amending the Comprehensive Zoning Ordinance of the City, Ordinance No. 2015-5-2, as heretofore amended, so as to amend Urban Mixed-Use-3 to modify development standards on 103.6 acres of land out of the Joseph Klepper Survey, Abstract No. 213, and the Samuel Klepper Survey, Abstract No. 216, located on the east side of Alma Drive, 760 feet south of 15th Street in the City of Plano, Collin County, Texas; directing a change accordingly in the official zoning map of the City; and providing a penalty clause, a repealer clause, a savings clause, a severability clause, a publication clause, and an effective date.

WHEREAS, the City Secretary of Plano, Texas, directed that notices of a hearing be issued, as required by the Zoning Ordinance of the City of Plano and laws of the State of Texas, at a meeting of the City Council, to be held on the 11th day of December 2023, for the purpose of considering amending Urban Mixed-Use-3 to modify development standards on 103.6 acres of land out of the Joseph Klepper Survey, Abstract No. 213, and the Samuel Klepper Survey, Abstract No. 216, located on the east side of Alma Drive, approximately 760 feet south of 15th Street in the City of Plano, Collin County, Texas; and

WHEREAS, the City Secretary of said City accordingly caused to be issued and published the notices required by its Zoning Ordinance and laws of the State of Texas applicable thereto, the same having been published in a paper of general circulation in the City of Plano, Texas, at least fifteen (15) days prior to the time set for such hearing; and

WHEREAS, the City Council of said City, pursuant to such notice, held its public hearing and heard all persons wishing to be heard both for and against the aforesaid change in the Zoning Ordinance, on the 11th day of December 2023; and

WHEREAS, the City Council is of the opinion and finds that such rezoning, as amended by the stipulations agreed upon during the public hearing, would not be detrimental to the public health, safety, or general welfare, and will promote the best and most orderly development of the properties affected thereby, and to be affected thereby, in the City of Plano, and as well, the owners and occupants thereof, and the City generally; and

WHEREAS, the City Council authorized this Ordinance to be executed without further consideration, consistent with the stipulated restrictions presented at the hearing.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PLANO, TEXAS, THAT:

Section I. The Comprehensive Zoning Ordinance of the City, Ordinance No. 2015-5-2, as the same has been heretofore amended, is hereby further amended so as to amend Urban Mixed-Use-3 to modify development standards as described in Section II, which stipulations were agreed upon during the public hearing, on 103.6 acres of land of land out of the Joseph Klepper Survey, Abstract No. 213, and the Samuel Klepper

Survey, Abstract No. 216, located on the east side of Alma Drive, approximately 760 feet south of 15th Street in the City of Plano, Collin County, Texas, said property being described in the legal description on Exhibit A attached hereto.

Section II. The modified developments standards of Urban Mixed-Use-3 are hereby amended, according to the stipulations agreed upon during the public hearing, as described below:

Section 10.700.2 of the Urban Mixed-Use-3 Exceptions to be amended as follows:

10.700.2 Permitted Uses – Uses in Addition to Those Permitted in the UMU

Use Category	Use Type	Allowed	Restrictions	Blocks
Accessory and Incidental Uses	Car Wash	P	Limited to parking garage only	M, N, P, R – X, Z
	Concrete/Asphalt Batch Plant (Temp.)	36		All except A-D
Educational, Institutional, Public, and Special Uses	Community Center	P		All
	Fire Station/Public Safety Building	P		X, Z
	Helistop	S		S, X, Z
	Independent Living	P	Sec. 13.200.3, Sec. 13.300.2, and Sec. 15.1300.3-.5 shall not apply	M, N, P, S, X, Z
	Private Recreation Facility	P		All
Residential Uses	Single-Family Residence (Detached)	P		A – L, Q
	Two-Family Residence	P	Sec. 9.1100 shall not apply	A – L, Q
Retail Uses	Shopping Center	P		S
Service Uses	Amusement, Commercial (Outdoor)	S	Endnote 15 in Section 14.300 does not apply except for Item 6: Provide perimeter fencing/landscaping of the site at the time of site plan approval.	S, X, Y, Z
	Arcade	P		M, N, P, R – X, Z
	Artisan’s Workshop	P		M, N, P, R – W

Service Uses (cont.)	Business Service	P		M, N, P, R – X, Z
	Cabinet/Upholstery Shop	P		S
	Kennel (Indoor)/Commercial Pet Sitting	P		S
	Veterinary Clinic	P		S
Transportation, Utility, Communication Uses	Electrical Substation	S		X, Z
Vehicle and Related Uses***	Motorcycle Sales & Service	P	Indoor only/No repair services	S
	Vehicle Dealer (New)	P	Indoor only/No repair services	S
	Vehicle Leasing and Renting	P	Parking of vehicles in garage only/No repair services	S
Wholesale	Public Storage/Mini-Warehouse	S	A maximum of 40,000 sf with storage units restricted to below street level	S
<p>P = Use permitted in block(s) indicated</p> <p>S = Use may be approved in block(s) indicated upon approval of a specific use permit (See Sec. 6.100)</p> <p>Numbers = Additional conditions/restrictions apply per Zoning Ordinance. See the Table Notes in Sec. 14.300</p> <p>*** = Vehicle and Related Uses are limited to a total allocation of 30 parking spaces for inventory storage.</p>				

Section 10.700.14.I. of the Urban Mixed-Use-3 Exceptions to be amended as follows:

I. Encroachments:

- i. Stoops and landscape areas adjacent to the building may extend a maximum distance of five feet into the area between the front facade of the building and the back of the street curb.
- ii. Canopies, balconies, bay windows, awnings, planter boxes, and other building projections may extend a maximum distance of two feet and at a height not less than eight feet into public rights-of-way or street easements with approval of a license agreement from the City of Plano. Building projections are intended to be decorative in nature and shall not be used to create additional building square footage. Where such encroachments are

located within eight feet of a city utility, the minimum height shall increase to not less than 14 feet.

Exceptions for Block AA in The Exceptions by Designated Block of the Urban Mixed-Use-3 Exceptions to be amended as follows:

Block AA

- i. Maximum Block Length: 1,800 feet
- ii. Minimum FAR: None

Section III. It is directed that the official zoning map of the City of Plano (which is retained in electronic record format) be changed to reflect the zoning classification established by this Ordinance.

Section IV. All provisions of the ordinances of the City of Plano in conflict with the provisions of this Ordinance are hereby repealed, and all other provisions of the Ordinances of the City of Plano not in conflict with the provisions of this Ordinance shall remain in full force and effect.

Section V. The repeal of any ordinance or part of ordinances effectuated by the enactment of this Ordinance shall not be construed as abandoning any action now pending under or by virtue of such ordinance or as discontinuing, abating, modifying or altering any penalty accruing or to accrue, or as affecting any rights of the municipality under any section or provisions of any ordinance at the time of passage of this Ordinance.

Section VI. Any violation of the provisions or terms of this ordinance by any person, firm or corporation shall be a misdemeanor offense and shall be subject to a fine in accordance with Section 1-4(a) of the City Code of Ordinances for each offense. Every day a violation continues shall constitute a separate offense.

Section VII. It is the intention of the City Council that this Ordinance, and every provision hereof, shall be considered severable, and the invalidity or partial invalidity of any section, clause or provision of this Ordinance shall not affect the validity of any other portion of this Ordinance.

Section VIII. This Ordinance shall become effective immediately upon its passage and publication as required by law.

PASSED AND APPROVED on the 11th day of December, 2023.

John B. Muns, MAYOR

ATTEST:

Lisa C. Henderson, CITY SECRETARY

APPROVED AS TO FORM:

Paige Mims, CITY ATTORNEY

**ZONING CASE 2023-015
LEGAL DESCRIPTION**

BEING a tract of land situated in the Joseph Klepper Survey, Abstract No. 213 and the Samuel Klepper Survey, Abstract No. 216, in the City of Plano, Collin County, Texas, being all of Collin Creek Single Family Blocks A-L, and all of Collin Creek Block M, Lot 1, an addition to the City of Plano, recorded in Volume 2023, Pages 323-331, in the Map Records of Collin County, Texas, being further described as all of three tracts of land described in deed to JPMCCM 2001-CIBC2 Collin Creek Mall, LLC, recorded in Instrument No. 20150430000496790, in the Deed Records of Collin County, Texas, all of two tracts of land described in a deed to Primary Properties Corporation, recorded in Volume 3419, Page 192, in said Deed Records, all of a tract of land described in a deed to J.C. Penney Properties, Inc., recorded in Volume 1471, Page 630, in said Deed Records, all of a tract of land described in a deed to SRC Real Estate (TX), LP, recorded in Volume 5570, Page 2202, in said Deed Records, and all of a tract of land described in a deed to National Retail Properties, LP, recorded in Instrument No. 20080804000944490, in said Deed Records, also including all of a tract of land described as Vacant Property (Tracts 2 and 3) Tract A, in a deed to JPMCCM 2001-CIBC2 Collin Creek Mall, LLC, recorded in Instrument No. 20150430000496790, in said Deed Records, all of a tract of land described as Vacant Property (Tracts 2 and 3) Tract B, in a deed to JPMCCM 2001-CIBC2 Collin Creek Mall, LLC, recorded in Instrument No. 20150430000496790, in said Deed Records, and all of a tract of land described as Vacant Property (Tract 1), in a deed to JPMCCM 2001-CIBC2 Collin Creek Mall, LLC, recorded in Instrument No. 20150430000496790, in said Deed Records, said tract being more particularly described as follows:

BEGINNING at a PK Nail set at a northwest corner of said Collin Creek Single Family Addition, same being the southwest corner of Lot 1R, Block B, Collin Creek Phase II, an addition to the City of Plano, records in Cabinet P, Page 989, in said Map Records, being in the east line of Alma Drive (called 100-foot right-of-way), said point also being on a curve to the left, having a radius of 30.00 feet and a central angle of 44 degrees 25 minutes 51 seconds;

THENCE with the northerly line of said Collin Creek Single Family Addition and the south line of said Collin Creek Phase II, an arc distance of 23.26 feet (Chord Bearing South 72 degrees 51 minutes 54 seconds East 22.68 feet), to an "X" found in concrete at the point of tangency;

THENCE North 84 degrees 55 minutes 10 seconds East, continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, a distance of 19.73 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the right, having a radius of 360.00 feet and a central angle of 47 degrees 43 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, and with said curve to the right, an arc distance of 299.81 feet (Chord Bearing South 71 degrees 13 minutes 20 seconds East 291.22 feet) to a 1/2-inch iron rod found at the point of tangency;

THENCE South 47 degrees 21 minutes 50 seconds East, continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, a distance of 275.51 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing North 87 degrees 38 minutes 10 seconds East 28.28 feet), to a Magnail set at the point of tangency;

THENCE North 42 degrees 38 minutes 10 seconds East, continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, a distance of 267.84 feet to a nail found at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, and with said curve to the right, an arc distance of 93.86 feet (Chord Bearing North 65 degrees 08 minutes 10 seconds East 91.46 feet), to an "X" found in concrete at the point of tangency;

THENCE North 87 degrees 38 minutes 10 seconds East, continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, a distance of 44.00 feet to an "X" found in concrete at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Single Family Addition and with the south line of said Collin Creek Phase II, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing North 42 degrees 38 minutes 10 seconds East 28.28 feet), to an "X" set in concrete at the point of tangency, being in the east line of said Lot 1R

THENCE North 02 degrees 21 minutes 50 seconds West, continuing with the northerly line of said Collin Creek Single Family Addition and with the east line of said Collin Creek Phase II, a distance of 199.99 feet to a nail found at the point of curvature of a curve to the right, having a radius of 1,030.00 feet and a central angle of 06 degrees 00 minutes 30 seconds;

THENCE, continuing with the northerly line of said Collin Creek Single Family Addition and the east line of said Collin Creek Phase II, an arc distance of 108.01 feet (Chord Bearing North 00 degrees 38 minutes 25 seconds East 107.96 feet) to a PK Nail set at the point of tangency;

THENCE North 03 degrees 38 minutes 40 seconds East, continuing with the northerly line of said Collin Creek Single Family Addition and with the east lines of said Collin Creek Phase II and Lot 3R, Block B, Collin Creek Phase II, an addition to the City of Plano, recorded in Cabinet H, Page 408, in said Map Records, a distance of 392.14 feet to a PK Nail set at the point of curvature of a curve to the left, having a radius of 30.00 feet and a central angle of 41 degrees 45 minutes 15 seconds;

THENCE continuing with the northerly line of said Collin Creek Single Family Addition and with the east line of said Lot 3R, an arc distance of 21.86 feet (Chord Bearing North 17 degrees 13 minutes 58 seconds West 21.38 feet), to a PK Nail set at the northeast corner of said Lot 3R, being in the south line of FM 544 15th Street (100-foot right-of-way)

THENCE North 03 degrees 38 minutes 40 seconds East, for a distance of 50.00 feet to the centerline of said FM 544 15th Street, to a PK Nail set;

THENCE South 86 degrees 21 minutes 20 seconds East, for a distance of 76.34 feet to a PK Nail set;

THENCE South 03 degrees 38 minutes 40 seconds West for a distance of 50.00 feet to a PK Nail set at the northwest corner of Pace Addition, an addition to the City of Plano, recorded in Cabinet K, Page 90, in said Map Records, said point being on a curve to the left, having a radius of 30.00 feet and a central angle of 44 degrees 49 minutes 28 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and with the west line of said Pace Addition, and with said curve to the left, an arc distance of 23.47 feet (Chord Bearing South 26 degrees 03 minutes 24 seconds West 22.88 feet), to a PK Nail set at the point of tangency;

THENCE South 03 degrees 38 minutes 40 seconds West, continuing with the northerly line of said Collin Creek Addition and the west line of said Pace Addition, a distance of 390.97 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius 970.00 feet and a central angle of 06 degrees 00 minutes 30 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and with the west line of said Pace Addition, and with said curve to the left, an arc distance of 101.72 feet (Chord Bearing South 00 degrees 38 minutes 25 seconds West 101.67 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the northerly line of said Collin Creek Addition and with the west line of said Pace Addition, a distance of 200.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and with the west line of said Pace Addition, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing South 47 degrees 21 minutes 50 seconds East 28.28 feet), to an "X" set in concrete at the point of tangency, being in the south line of said Pace Addition;

THENCE North 87 degrees 38 minutes 10 seconds East, continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, a distance of 162.94 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 16 degrees 15 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, and with said curve to the right, an arc distance of 33.89 feet (Chord Bearing South 84 degrees 14 minutes 20 seconds East 33.78 feet), to an "X" set in concrete at the point of tangency;

THENCE South 76 degrees 06 minutes 50 seconds East, continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, a distance of 194.97 feet to a Magnail set at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 16 degrees 15 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, and with said curve to the right, an arc distance of 33.89 feet (Chord Bearing South

67 degrees 59 minutes 20 seconds East 33.78 feet), to an "X" set in concrete at the point of tangency;

THENCE South 59 degrees 51 minutes 50 seconds East, continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, a distance of 258.64 feet to an "X" set in concrete at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing North 75 degrees 08 minutes 10 seconds East 28.28 feet), to an "X" set in concrete at the point of reverse curvature of a curve to the right, having a radius of 485.36 feet and a central angle of 15 degrees 04 minutes 59 seconds;

THENCE continuing with the northerly line of said Collin Creek Addition and the south line of said Pace Addition, and with said curve to the right, an arc distance of 127.77 feet (Chord Bearing North 37 degrees 40 minutes 40 seconds East 127.40 feet), to a PK Nail set at the southeast corner of said Pace Addition, being in the south line of Dallas North Shopping Center 1988 Addition, an addition to the City of Plano, recorded in Cabinet H, Page 399, in said Map Records;

THENCE North 74 degrees 00 minutes 40 seconds East, continuing with the northerly line of said Collin Creek Addition and with the south line of said Dallas North Shopping Center, a distance of 233.76 feet to a PK Nail set in the northerly line of Janwood Addition, an addition to the City of Plano, recorded in Cabinet G, Page 723, in said Map Records, said point being on a curve to the left, having a radius of 425.36 feet and a central angle of 43 degrees 52 minutes 32 seconds;

THENCE with the easterly line of said Collin Creek Addition and the northerly line of said Janwood Addition and with said curve to the left, an arc distance of 325.73 feet (Chord Bearing South 52 degrees 04 minutes 26 seconds West 317.83 feet) to a 5/8-inch iron rod found at the point of compound curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the northerly line of said Janwood Addition, an arc distance of 31.42 feet (Chord Bearing South 14 degrees 52 minutes 00 seconds East 28.28 feet), to an "X" set in concrete at the point of tangency;

THENCE South 59 degrees 51 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and with the westerly line of said Janwood Addition, a distance of 244.36 feet to an "X" set in concrete at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 57 degrees 30 minutes 07 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the westerly line of said Janwood Addition, an arc distance of 119.93 feet (Chord Bearing South 31 degrees 06 minutes 46 seconds East 114.96 feet), to a 5/8-inch iron rod found at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and the westerly line of said Janwood Addition, a distance of 251.22 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the westerly line of said Janwood Addition, an arc distance of 31.42 feet (Chord Bearing South 47 degrees 21 minutes 50 seconds East 28.28 feet), to an "X" found in concrete at the point of tangency;

THENCE North 87 degrees 38 minutes 10 seconds East, continuing with the easterly line of said Collin Creek Addition and with the south line of said Janwood Addition, a distance of 276.94 feet to a PK Nail set at the point of curvature of a curve to the left, having a radius of 50.00 feet and a central angle of 32 degrees 40 minutes 53 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the south line of said Janwood Addition, an arc distance of 28.52 feet (Chord Bearing North 71 degrees 17 minutes 44 seconds East 28.13 feet), to a PK Nail set at the southeast corner of said Janwood Addition, being in the west line of US Highway 75 (variable width right-of-way);

THENCE North 86 degrees 38 minutes 32 seconds East, for a distance of 180.00 feet, to the centerline of said US Highway 75;

THENCE South 03 degrees 21 minutes 28 seconds East, along the centerline of said US Highway 75, for a distance of 75.18 feet, to a point;

THENCE South 86 degrees 38 minutes 32 seconds West, departing said centerline for a distance of 180.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the northeast corner of Lot 5R, Block VII of Collin Creek Village Addition, an addition to the City of Plano, recorded in Volume 2019, Page 94, in said Map Records, said point being on a curve to the left, having a radius of 30.00 feet and a central angle of 40 degrees 41 minutes 57 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and with the north line of said Lot 5R, an arc distance of 21.31 feet (Chord Bearing North 72 degrees 00 minutes 52 seconds West 20.86 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the easterly line of said Collin Creek Addition and with the north line of said Lot 5R, a distance of 285.68 feet to a 1/2-inch iron rod with cap stamped "DUNAWAY" found at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds,

THENCE continuing with the easterly line of said Collin Creek Addition and with the north line of said Lot 5R, and with said curve to the left, arc distance of 31.42 feet (Chord Bearing South 42 degrees 38 minutes 10 seconds West 28.28 feet), to 1/2-inch iron with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and with the west line of said Lot 5R, with the west lines of Lot 4A-R and 4B, Block VII, of Collin Creek Village Addition, an addition to the City of Plano, recorded in Cabinet H, Page 63, in said Map Records, of Lot 3, Block VII, of said Collin Creek Village Addition recorded in Cabinet G, Page 641, of Lot 2R, Block VII, of Collin Creek Village Addition, an addition to the City of Plano, recorded Cabinet H, Page 132, in said Map Records, and of Lot 1, Block VII, of Collin Creek Village Addition, an addition to the City of Plano, recorded in Cabinet C, Page 309, in said Map Records, a distance of 1,053.64 feet to a Magnail set at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition, with the west line of said Lot 1, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing South 47 degrees 21 minutes 50 seconds East 28.28 feet) to an "X" found in concrete at the point of tangency;

THENCE North 87 degrees 38 minutes 10 seconds East, continuing with the easterly line of said Collin Creek Addition and with the south line of said Lot 1, a distance of 299.54 feet to a PK Nail set at the point of curvature of a curve to the left, having a radius of 50.00 feet and a central angle of 32 degrees 21 minutes 38 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the south line of said Lot 1, an arc distance of 28.24 feet (Chord Bearing North 71 degrees 27 minutes 21 seconds East 27.87 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the southeast corner of said Lot 1, being in the west line of said US Highway 75;

THENCE North 86 degrees 31 minutes 30 seconds East, for a distance of 180.00 feet, to a point in the centerline of said US Highway 75;

THENCE South 03 degrees 28 minutes 30 seconds East, along the centerline of said US Highway 75, for a distance of 21.27 feet;

THENCE South 04 degrees 25 minutes 20 seconds East, continuing along said centerline, for a distance of 50.06 feet;

THENCE South 85 degrees 34 minutes 40 seconds West, departing said centerline, for a distance of 180.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the northeast corner of Collin Creek Village Addition II, an addition to the City of Plano, recorded in Instrument No. 20130607010001670, in the Deed Records of Collin County, Texas, said point being on a curve to the left, having a radius of 30.00 feet and a central angle of 40 degrees 05 minutes 16 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition, with the north line of said Collin Creek Village Addition II, and with said curve to the left, an arc distance of 20.99 feet (Chord Bearing North 72 degrees 19 minutes 12 seconds West 20.56 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the easterly line of said Collin Creek Addition and the north line of said Collin Creek Village Addition II, a distance of 309.28 feet to an "X" found in concrete at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition, with the northwesterly line of said Collin Creek Village Addition II and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing South 42 degrees 38 minutes 10 seconds West 28.28 feet), to an "X" set in concrete at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and the northwesterly line of said Collin Creek Village Addition II, a distance of 17.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of

curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the northwesterly line of said Collin Creek Village Addition II, and with said curve to the right, an arc distance of 93.86 feet (Chord Bearing South 20 degrees 08 minutes 10 seconds West 91.46 feet) to an "X" found in concrete at the point of tangency;

THENCE South 42 degrees 38 minutes 10 seconds West, continuing with the easterly line of said Collin Creek Addition and the northwesterly line of said Collin Creek Village Addition II, a distance of 233.03 feet to a Magnail set at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the northwesterly line of said Collin Creek Village Addition II, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing South 02 degrees 21 minutes 50 seconds East 28.28 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 47 degrees 21 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and with the west line of said Collin Creek Village Addition II, a distance of 54.29 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the right, having a radius of 129.00 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the west line of said Collin Creek Village Addition II, an arc distance of 101.32 feet (Chord Bearing South 24 degrees 51 minutes 50 seconds East 98.73 feet), to a Magnail set at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the easterly line of said Collin Creek Addition and the west line of said Collin Creek Village Addition II, a distance of 395.67 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius of 30.00 feet and a central angle of 51 degrees 38 minutes 33 seconds;

THENCE continuing with the easterly line of said Collin Creek Addition and the west line of said Collin Creek Village Addition II, and with said curve to the left, an arc distance of 27.04 feet (Chord Bearing South 28 degrees 11 minutes 06 seconds East 26.13 feet), to an "X" set in concrete at the southeast corner of said Collin Creek Addition, being in the north line of Plano Parkway (variable width right-of-way);

THENCE South 02 degrees 19 minutes 44 seconds East, for a distance of 50.56 feet, to centerline of said Plano Parkway;

THENCE South 87 degrees 40 minutes 16 seconds West, along the centerline of said Plano Parkway, for a distance of 82.73 feet;

THENCE North 02 degrees 19 minutes 44 seconds West, departing said centerline, for a distance of 50.54 feet, to an "X" set in concrete, being on curve to the left, having a radius of 30.00 feet and a central angle of 51 degrees 33 minutes 36 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and with the east line of Collin Creek Village Addition Block V, Lot 1, an addition to the City of Plano, recorded in Cabinet H, Page 433, in said Map Records, and with said curve to the left, an arc distance of 27.00 feet (Chord Bearing North 23 degrees 24 minutes 58 seconds East 26.10 feet), to a Magnail set at the point of tangency;

THENCE North 02 degrees 21 minutes 50 seconds West, continuing with the southerly line of said Collin Creek Addition and with the east line of Collin Creek Village Addition Block V, Lot 1, a distance of 395.67 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the left, having a radius of 69.00 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and with the east line of Collin Creek Village Addition Block V, Lot 1, and with said curve to the left, an arc distance of 54.19 feet (Chord Bearing North 24 degrees 51 minutes 50 seconds West 52.81 feet), to a PK Nail set at the point of tangency;

THENCE North 47 degrees 21 minutes 50 seconds West, continuing with the southerly line of said Collin Creek Addition and with the east line of Collin Creek Village Addition Block V, Lot 1, a distance of 54.29 feet to a 5/8-inch iron rod with cap stamped "STANTEC" found at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and with the north line of said Collin Creek Village Addition Block V, Lot 1, an arc distance of 31.42 feet (Chord Bearing South 87 degrees 38 minutes 10 seconds West 28.28 feet), to a Magnail set at the point of tangency;

THENCE South 42 degrees 38 minutes 10 seconds West, continuing with the southerly line of said Collin Creek Addition and the north line of said Collin Creek Village Addition Block V, Lot 1, a distance of 42.63 feet to a Magnail set at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and the north line of Collin Creek Village Addition Block V, Lot 1, and with said curve to the right, an arc distance of 93.86 feet (Chord Bearing South 65 degrees 08 minutes 10 seconds West 91.45 feet), to a Magnail set at the point of tangency;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the southerly line of said Collin Creek Addition and the north lines of said Collin Creek Village Addition Block V, Lot 1, and Collin Creek Village Addition Block V, Lot II, an addition to the City of Plano, recorded in Cabinet F, Page 566, in said Map Records, a distance of 725.84 feet to an "X" found in concrete at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and the north line of said Collin Creek Village Addition Block V Lot II, and with said curve to the left, an arc distance of 31.42 feet (Chord Bearing South 42 degrees 38 minutes 10 seconds West 28.28 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 02 degrees 21 minutes 50 seconds East, continuing with the southerly line of said Collin Creek Addition and with the west line of said Collin Creek Village Addition Block V Lot II, a distance of 397.70 feet to a PK Nail set at the point of curvature of a curve to the left, having a radius of 30.00 feet and a central angle of 51 degrees 34 minutes 36 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and the west line of said Collin Creek Village Addition Block V Lot II, and with said curve to the left, an arc distance of 27.01 feet (Chord Bearing South 28 degrees 08 minutes 00 seconds East 26.10 feet), to a PK Nail set in the north line of said Plano Parkway;

THENCE South 02 degrees 19 minutes 44 seconds East, for a distance of 49.97 feet, to point in the centerline of said Plano Parkway;

THENCE South 87 degrees 40 minutes 16 seconds West, along the centerline of said Plano Parkway, for a distance of 82.70 feet;

THENCE North 02 degrees 19 minutes 44 seconds West, departing said centerline for a distance of 49.92 feet, to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set on a curve to the left, having a radius of 30.00 feet and a central angle of 51 degrees 33 minutes 58 seconds;

THENCE continuing with the southerly line of said Collin Creek Addition and with the east line of Veladi Ranch Steakhouse Addition, an addition to the City of Plano, recorded in Cabinet J, Page 495, in said Map Records, an arc distance of 27.00 feet (Chord Bearing North 23 degrees 25 minutes 09 seconds East 26.10 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE North 02 degrees 21 minutes 50 seconds West, continuing with the southerly line of said Collin Creek Addition and the east line of said Veladi Ranch Steakhouse, and with the Collin Creek Village Addition, Block IV, Lot 1, an addition to the City of Plano, recorded in Cabinet H, Page 433, in said Map Records, a distance of 397.70 feet to a 1/2-inch iron rod found at the point of curvature of a curve to the left, having a radius of 20.00 feet and a central angle of 90 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Single Family Addition and the east line of said Collin Creek Village Addition, Block IV, Lot 1, an arc distance of 31.42 feet (Chord Bearing North 47 degrees 21 minutes 50 seconds West 28.28 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the southerly line of said Collin Creek Single Family Addition and with northerly line of said Collin Creek Village Addition, Block IV, Lot 1, a distance of 40.00 feet to an "X" in concrete found at the point of curvature of a curve to the right, having a radius of 119.50 feet and a central angle of 45 degrees 00 minutes 00 seconds;

THENCE continuing with the southerly line of said Collin Creek Single Family Addition and the northerly line of said Collin Creek Village Addition, Block IV, Lot 1, an arc distance of 93.86 feet (Chord Bearing North 69 degrees 51 minutes 50 seconds West 91.46 feet), to a 1-inch iron rod found at the point of tangency;

THENCE North 47 degrees 21 minutes 50 seconds West, continuing with the southerly line of said Collin Creek Single Family Addition and the northerly line of said Collin Creek Village

Addition, Block IV, Lot 1, a distance of 224.59 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the northernmost corner of said Collin Creek Village Addition, Block IV, Lot 1 and the southeast corner of a tract of land described as "Vacant Property - Tract A", in a deed to JPMCCM 2201-CIBC2 Collin Creek Mall, LLC, recorded in Instrument No. 20150430000496790, in said Deed Records,

THENCE South 42 degrees 38 minutes 10 seconds West, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and with the southerly line of said "Vacant Property Tract A", a distance of 77.87 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", a distance of 77.64 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set;

THENCE South 05 degrees 04 minutes 50 seconds East, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", a distance of 54.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the right, having a radius of 10.00 feet and a central angle of 92 degrees 43 minutes 00 seconds;

THENCE continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", and with said curve to the right, an arc distance of 16.18 feet (Chord Bearing South 41 degrees 16 minutes 40 seconds West 14.47 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE South 87 degrees 38 minutes 10 seconds West, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", a distance of 107.91 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of curvature of a curve to the right, having a radius of 10.00 feet and a central angle of 87 degrees 17 minutes 00 seconds;


THENCE continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", and with said curve to the right, an arc distance of 15.23 feet (Chord Bearing North 48 degrees 43 minutes 20 seconds West 13.80 feet), to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the point of tangency;

THENCE North 05 degrees 04 minutes 50 seconds West, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", a distance of 5.00 feet to a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set;

THENCE South 84 degrees 55 minutes 10 seconds West, continuing with the northerly line of said Collin Creek Village Addition, Block IV, Lot 1 and the southerly line of said "Vacant Property Tract A", at 65.49 feet, passing a 1/2-inch iron rod with red cap stamped "PJB SURVEYING" set at the northwest corner of said Collin Creek Village Addition, Block IV, Lot 1 and the southwest corner of said "Vacant Property Tract A", also being in the east line of Alma Drive (100 foot right-of-way), for a total distance of 115.50 feet to a PK Nail set in the centerline of said Alma Drive;

THENCE North 05 degrees 04 minutes 50 seconds West, with the centerline of said Alma Drive, a distance of 2,403.56 feet to a point;

THENCE, North 84 degrees 55 minutes 10 seconds East, departing said centerline, a distance of 50.01 feet to the **POINT OF BEGINNING** and **CONTAINING** 103.615 acres of land.





Zoning Case: 2023-015


Existing Zoning: Urban Mixed-Use-3

Proposed Zoning: Amend Urban Mixed-Use-3

- 500' Courtesy Notification Buffer
- 200' Notification Buffer
- Streets
- Municipal Boundaries
- Zoning Boundary
- Specific Use Permit
- Zoning Boundary Change/SUP
- Subject Property



15TH STREET



CURVE NO.	DELTA	RADIUS	LENGTH	CHORD	BEARING
1.	90°00'00"	20.00'	31.42'	28.28'	N87°38'10"E
2.	90°00'00"	20.00'	31.42'	28.28'	N42°38'10"E
3.	90°00'00"	20.00'	31.42'	28.28'	S47°21'50"E
4.	90°00'00"	20.00'	31.42'	28.28'	N75°08'10"E
5.	90°00'00"	20.00'	31.42'	28.28'	S14°33'00"E
6.	90°00'00"	20.00'	31.42'	28.28'	S42°38'10"E
7.	90°00'00"	20.00'	31.42'	28.28'	S02°21'50"E
8.	48°00'00"	60.00'	54.13'	24.81'	N24°19'10"W
9.	90°00'00"	20.00'	31.42'	28.28'	S87°38'10"W
10.	48°00'00"	118.50'	93.88'	41.45'	S68°08'10"W
11.	92°43'00"	10.00'	16.18'	14.47'	S41°18'40"W
12.	87°17'00"	10.00'	15.23'	13.80'	N48°43'20"W

NOTE:
Approval of the zoning case associated with this exhibit shall not imply approval of any associated study, plan or plat, approval of development standards shown hereon, or the initiation of the development process. Planning & Zoning Commission and/or City Council action on studies, plans, or plats relating to development of this property shall be considered as an action separate from action taken on this zoning case.


TOTAL ACRES 103.615

ZONING CASE #2023-015
ZONING EXHIBIT
REGIONAL MALL
ADDITION
LOTS 1-7, BLOCK A

103.615 ACRES OUT OF THE
 JOSEPH KLEPPER SURVEY,
 ABSTRACT NO. 213
 SAMUEL KLEPPER SURVEY,
 ABSTRACT NO. 216
 IN THE
 CITY OF PLANO
 COLLIN COUNTY, TEXAS

OWNERS
 VM FUND I, LLC
 KIRK WILSON
 1800 VALLEY VIEW LANE, SUITE 321
 FARMERS BRANCH, TEXAS 75234
 833-433-8356
 MM CCM 48M LLC
 MURDOCK MOYER
 1800 VALLEY VIEW LANE, SUITE 300
 FARMERS BRANCH, TEXAS 75234
 469-892-7200
 ASHTON DALLAS RESIDENTIAL, LLC
 BRET BAILEY
 1800 VALLEY VIEW LANE, SUITE 100
 FARMERS BRANCH, TX 75234
 682-888-2144
 BRIGHT AND HOMES, LTD
 SPENCER WILSON
 15725 NORTH DALLAS PARKWAY
 SUITE 500
 ADDISON, TX 75001
 972-383-4300
 MATTAMY TEXAS, LLC
 JOHN KUNTZ
 1801 WITTINGTON PLACE, SUITE 100
 FARMERS BRANCH, TX 75234
 916-275-6176

PREPARED BY
 CORWIN ENGINEERING, INC.
 200 W. BELMONT, SUITE E
 ALLEN, TEXAS 75013
 972-396-1200
 BRANDON DAVIDSON
 NOVEMBER 1, 2023 SHEET 2 OF 4



EXISTING ZONING:
 URBAN MIXED-USE-3
 (UMU-3)

U.S. HWY 75

DALLAS NORTH
 OFFICE
 10101
 10-50-0-3

POINT OF BEGINNING
 N84°55'10"E
 50.01'

SARIT MARKS CATHOLIC
 CHURCH ADDITION
 10101
 10-50-0-3

JANWOOD DRIVE
 660 R.O.M. 1

RODFIELD DR

DALLAS NORTH
 OFFICE
 10101
 10-50-0-3

DALLAS NORTH
 OFFICE
 10101
 10-50-0-3

LOT 2, BLOCK B
 COLIN CREEK PARKWAY
 2019 P.C. 64
 ZONING - CORRIDOR COMMERCIAL

LOT 1, BLOCK B
 COLIN CREEK PARKWAY
 2019 P.C. 64
 ZONING - CORRIDOR COMMERCIAL

LOT 1, BLOCK A
 JANWOOD DRIVE
 2019 P.C. 64
 ZONING - CORRIDOR COMMERCIAL

LOT 1, BLOCK V
 0.816 AC.
 35,537 S.F.

LOT 1, BLOCK T
 1.146 AC.
 49,933 S.F.

LOT 1, BLOCK W
 2.789 AC.
 121,470 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 2, BLOCK U
 0.820 AC.
 35,726 S.F.

LOT 3, BLOCK V
 0.210 AC.
 9,162 S.F.

LOT 1, BLOCK U
 1.667 AC.
 72,616 S.F.

LOT 1, BLOCK M
 1.410 AC.
 61,407 S.F.

LOT 2, BLOCK M
 0.346 AC.
 15,058 S.F.

LOT 1, BLOCK N
 2.087 AC.
 90,930 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 1, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 2, BLOCK V
 0.550 AC.
 23,626 S.F.

LOT 1, BLOCK V
 0.816 AC.
 35,537 S.F.

LOT 2, BLOCK T
 0.216 AC.
 9,390 S.F.

LOT 1, BLOCK W
 2.789 AC.
 121,470 S.F.

LOT 2, BLOCK Z
 0.175 AC.
 7,621 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.

LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3, BLOCK Y
 1.360 AC.
 15,674 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.

LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK S
 9.129 AC.
 397,680 S.F.


LOT 1, BLOCK O
 1.922 AC.
 83,718 S.F.

LOT 1, BLOCK Z
 2.406 AC.
 104,829 S.F.


LOT 1, BLOCK AA
 3.001 AC.
 130,740 S.F.

LOT 2, BLOCK Y
 0.510 AC.
 22,220 S.F.

LOT 3



0 50 100 200
SCALE: 1" = 100'



US HIGH U.S. HWY 75

EXISTING ZONING:
URBAN MIXED-USE-3
(UMU-3)

TOTAL ACRES 103.615

ZONING CASE #2023-015
ZONING EXHIBIT
REGIONAL MALL
ADDITION
LOTS 1-7, BLOCK A

103.615 ACRES OUT OF THE
JOSEPH KLEPPER SURVEY,
ABSTRACT NO. 213
SAMUEL KLEPPER SURVEY,
ABSTRACT NO. 216

IN THE
CITY OF PLANO
COLLIN COUNTY, TEXAS

OWNERS

- ASHTON DALLAS RESIDENTIAL, LLC VM FUND I, LLC
- KIRK WILSON
- BRET DAILEY
- 1800 VALLEY VIEW LANE, SUITE 100
- FARMERS BRANCH, TX 75234
- 682-888-2144
- MATTAMY TEXAS, LLC BRIGHTLAND HOMES, LTD
- JOHN KUNTZ
- 1801 WITTINGTON PLACE, SUITE 100 15725 NORTH DALLAS PARKWAY
- FARMERS BRANCH, TX 75234 SUITE 500
- 916-275-8746 ADDISON, TX 75001
- 972-383-4300

PREPARED BY
CORWIN ENGINEERING, INC.
200 W. BELMONT, SUITE E
ALLEN, TEXAS 75013
972-396-1200
BRANDON DAVIDSON
NOVEMBER 1, 2023 SHEET 3 OF 4

